

TEC

Unequaled cost and performance in an ECR

ELECTRONIC CASH REGISTER

MA-1530/1535



An affordable, yet highly spe with a variety of

MA-1530/1535




ELECTRONIC CASH REGISTER

Front Display

The product name and condition of the register can be confirmed at a glance by the clear alphanumeric display.

*10 characters alphanumeric and 10 digit 7 segment display



Customer display

*10 digit 7 segment display

Scanning functions

*Source code and In-store code

*Price read key

*Urgent PLU maintenance

Wide variety of programmable Department

- *9 department groups
- *Up to 18 characters department name
- *Single department status
- *Other income department status
- *Negative department status

Wide variety of programmable PLU

- *Up to 18 character PLU name
- *Stock control
- *PLU to PLU link
- *Negative PLU status
- *PLU group report
- *Up to 24,000 PLUs programmable

Full Cashier accountability

- *Interrupt function
- *Up to 40 cashiers
- *Cashier name, up to 18 characters
- *Cashier number entry type
- *Commission
- *Money declaration
- *Full accountability report
- *Training mode
- *Supervisor

Other functions

- *Hold and Recall
- *Cancel transaction
- *Special rounding
- *4 VAT
- *4 foreign currency
- *Triple multiplication for item entry
- *10 auto function keys
- *%+ and %- function
- *3 price levels

cified scanning ECR peripherals available



MA-1530

High quality Dot Printer

- *45mm width receipt / journal
- *24 character alphanumeric print
- *Logo stamp
- *Validation feature as standard
- *3.0 Line/Sec. Print speed
- *Up to 7 line of programmable store message



MA-1535

Extra wide receipt and audit thermal printer provides clear detailed information

- *58mm width receipt / journal
- *24 character alphanumeric print
- *Automatic receipt cut
- *10 Line / Sec. print speed
- *Up to 7 line of programmable store message



User Friendly Keyboard

- *Maximum 90 key raised keyboard



3 ports of RS-232C interface as standard

The MA-1530 / 1535 can be configured with the following:

- *Scanner
- *Slip printer
- *PC

Option

- *0.5M memory board
- *1.5M memory board

PC communication

The MA-1530/1535 can be configured to communicate with a PC through an RS-232C port.

- *Sending of programming data from the PC to the MA-1530/1535
- *Retrieval of totals from the MA-1530/1535 to PC

Main Memory

PLUs	5000
Departments	99
Cashiers	40
Department groups	9
PLU groups	99
Hourly ranges	24
Media types	9
TAX	4

Management Report

A comprehensive range of reports is available

		X	Z	GTX	GTZ
Combination report		✓	✓	✓	✓
Financial report		✓	✓	✓	✓
Department report	All	✓	✓	✓	✓
	ZONE	✓	✓	✓	✓
PLU	All	✓	✓	✓	✓
	Group	✓	✓	✓	✓
	Zone	✓	✓	✓	✓
	Maintenance	✓	✓		
	Cashier	✓	✓		
Cashier report	All	✓	✓	✓	✓
	Zone	✓	✓	✓	✓
Hourly report		✓	✓		
All media and cash-in-drawer		✓			
Money declaration		✓	✓		

```

30-05-2002      0024
X              003
*****
+ FINANCIAL REPORT +
*****
Z1:0001
CFT          2673.99
NET OF      2673.93
NET-OT       40.06
CFS
S&S         2673.99
MIS w/o Tax 2673.93
MIS w/ Tax
S&S         2673.93
S-          0006
            29.00
DISC        0007
            0.00
MEDIA TL    01.00
            2673.93
CASH        1946.85
CHECK       479.00
CHARGE      493.21
COMBIN      14.87
S-9         0002
            30.00
PD          0002
            -20.00
LDRH        0002
            20.00
PICK UP     0003
            70.00
CASH ID    1406.85
CHECK ID    479.00
CHARGE ID   493.21
COMBIN ID   14.87
VOID-COMB   0021
            144.73
ALL VOID    0006
            87.84
RTH        100.22
ITM S-      0008
            8.00
ITM DESC    0011
            2.24
MIS w/o Tax 2673.93
CLEAN CTR   0027
            0136 13:40TR
  
```

Sample Financial Report

Specifications

Dimensions	410mm(width)X430mm(depth)X335mm(height)
Weight	MA-1530 : 13.5kg MA-1535 : 12.5kg
Operating Temperature	0°C~40°C

- All company and/or product names are trademarks and/or registered trademarks of their respective owners.
- All features and specifications described on this brochure are subject to change without notice.
- This is made of recycled paper.

TOSHIBA TEC CORPORATION

Retail Information Systems Company
INTERNATIONAL OPERATIONS
 3-21-1 Nihonbashi Hamacho, Chuo-ku,
 Tokyo 103-8482, JAPAN

<http://www.toshibatec.co.jp/indexe.htm>